

असाधार्ग

EXTRAORDINARY

মান II-- ক্ৰয় 3---রণ-ক্রম (ii)

PART II-Section 3-Sub-Section (ii)

प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

276

नई विश्लो, बृहस्पतिबार, मई 7, 1992/वैशाख 17, 1914

No. 276]

NEW DELHI, THURSDAY, MAY 7, 1992/VAISAKHA 17, 1914

इ.स. भाग में भिम्म पृष्ठ संस्था की जाती है जिससे कि यह अलग संक्रलन के कप में रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a separate compilation

वित्त मंत्रालय

(भ्रार्थिक कार्य विभाग)

प्रधिसुचना

नई विल्ली, 7 मई, 1992

का. आ. 317(म).--केन्द्रीय सरकार, सिक्का-निर्माण मधिनियम, 1906 (1906 का 3) की धारा 7 के साथ पठित बारा 21 की उपधारा (1) हारा प्रवत्त प्रक्रियों का प्रयोग करते हुए, निम्निसिक्त नियम बनाती है, ग्रर्थात्:---

1. संक्षिप्त नाम और प्रारम्भः---(1) इन नियमों का संक्षिप्त नाम सिक्का-निर्माण (श्री राजीव गांघी की स्मृति में) ढाले गए (एक रुपए के सिक्कों का जिसमें 75 प्रतिशत तांबा और 25 प्रतिशत निकल होगा, मानक बजन और उपचार) नियम, 1992 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. श्री राजीय गांधी की स्मृति में ढाले गए सिक्कों का मानक थजन मौर प्रमुजात उपचार:—श्री राजीय गांधी की स्मृति में सिक्का-निर्माण ग्राधिनियम, 1906 (1906 का 3) की धारा 6 के उपबन्धों के भ्राधीन ढाले गए एक उपए के सिक्कों का मानक वजन ग्रीर ऐसे सिक्कों के बनाने में प्रमुक्तान उपचार वैसा ेगा, जैसा नीचे मारणी में विनिद्धिट है:—

मारणी

ेका अंकित मृत्य	मानक अर्जन	मनुजात उपसार	
		संरचना में	मानक कवान में
४ पया	6 ग्राम	सांबा भौर निकल बोतों के लिए 1/100वां भाग धन या घटा, प्रधीप तीबा 74 प्रतिशत से 76 प्रतिभत भौर निकल 24 प्रतिशत में 26 प्रतिशत के बीच हो सकता है।	1/40कां भाग, धन या घटा अर्थान् अजन 5.850 ग्राम से 6.150 साम के बीच हो सकता है।

[फा.सं. 1/23/91-सिक्का []-(1)]

जो.एस. ग्रेगल, प्रवर सचिक

MINISTRY OF FINANCE

(Department of Economic Affairs)

NOTIFICATION

New Delhi, the 7th May, 1992

S.O. 317(E):—In exercise of the powers conferred by sub-section (1) of section 21, read with section 7 of the Coinage Act, 1906 (3 of 1906), the Central Government hereby makes the following rules namely:—

- (1) Short title and commencement:—(1) These rules may be called the Coinage (Standard Weigh and Remedy of the one rupee coins containing Copper 75 percent and Nickel 25 per cent) coined (in commemoration of Shri Rajiv Gandhi), Rules, 1992.
- (2) They shall come into force on the date of their publication in the Official Ge zette.
- (2) Standard weight and Remedy allowed on the Coins coined in Commemoration of Shri Rajiv Gandhi:—The Standard Weight of the coin of one Rupee coined, under the provisions of section 6 of the Coinage Act, 1906 (3 of 1906) in commemoration of Shri Rajiv Gandhi and the Remedy allowed in the making of such coins shall be as specified in the Table below:—

TABLE

Denomination of the Coin	Standard Weight	Remedy allowed		
Com		In Composition	In Standard Weight	
(1)	(2)	(3)	(4)	
One Rupee	6 grammes	1/100th plus or minus both for Copper and Nickel that is to say, copper could vary from 74 per cent to 76 per cent and Nickel from 24 per cent to 26 per cent	1/40 th plus or minus, that is to say the weight could vary from 5.850 grammes to 6.150 grammes.	

[F. No. 1/23/91-Coin II—(1)] G.S. GREWAL Under Secy.

ग्रधिस्चना

नई दिल्ली, 7 नई, 1992

का.ग्रा. 318(ग्र).--केन्द्रीय सरकार, सिक्का-निर्माण ग्रिधिनियम, 1906 (1906 का 3) की धारा 6 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, यह अवधारित करती है कि:---

- (क) केन्द्रीय सरकार के प्राधिकार के श्रधीन जारी किए जाने के लिए श्री राजीव गांधी की स्मृति में एक रुपए श्रंकित मूल्य का सिक्का भी टकसाल में ढाला ज।एग। :---
- (ख) उपरोक्त ग्रंकित मृल्य के सिक्के निम्नलिखित विभा, डिजाइन, ग्रौर संरचना के ग्रनुरूप होंगे, ग्रर्थात्:--

सिक्केका ग्रंकित मूल्य	ग्राकार ग्रौर बाहरी व्यास	दांतों की संख्या	धातु संरचना		
the state of the s	انده بست است باست خرب باید و دود خیب پیچ این از نیب است آنین است باید و بری این است این بری و ست بست بین سید				
एक रुपया	वृत्ताकार	204	ताम्र–निकल		
	26 मिलीमीटर		(तांबा 75 प्रतिशत		
			निकल 25 प्रतिशत)		

डिजाइन :

मुख भाग: सिक्के के इस भाग पर अशोक स्तम्भ का सिंह शीर्ष होगा, जिसके नीचे "सत्यमेव जयते" सार वाक्य अंकित होगा, बांई ऊपरी परिधि में "भारत" शब्द और दाई ऊपरी परिधि में "NDIA" शब्द पार्श्व में अंकित होगा। इसके पार्श्व में बाई निचली परिधि में "स्पया" शब्द और दाई ि...
परिधि में "RUPEE" शब्द के साथ अंकित मूल्य "1" अंतरीष्ट्रीय अंकी में भी होगा। सिक्के को परिधि पर 94 दाने होंगे।

पृष्ठ भाग:--सिक्के के इस भाग पर दाई श्रोर अंग्रेजी में "RAJIV GANDAI" श्रौर बाई श्रोर हिन्दी में "राजीव गांधी" नाम के साथ श्री रा.्री गांधी की श्राकृति होगी। "1944-1991" श्रंक श्राकृति के नीचे दर्शाए जाएंगे। सिक्के की परिधि पर 94 दाने होंगे।

[फा. सं. 1/23/91-सिक्का $\Pi - (2)$ जी. एस. ग्रेवाल, ग्रवर सचिव

NOTIFICATION

New Delhi, the 7th May, 1992

- S.O. 318(E):—In exercise of the powers conferred by section 6 of the Coinage Act, 1906 (3 of 1906), the Central Government here by determines that:—
 - (a) the coin of the denomination of the One Rupee shall also be coined at the Mints in Commemoration of Shri Raliv Gandh for issue under the authority of the Central Government;
 - (b) the coins of the above denomination shall conform to the following dimension, design and composition namely:

TABLE

Denomination of the Coin	Shape and out-side diameter	Number of Serrations	Metal Composition
(1)	(2)	(3)	(4)
One Rupee	Circular 26 Millimeters	204	Cupro-Nickel Copper 75 per cent Nickel 25 per cent

DESIGN

OBVERSE: This face of the coin shall bear the Lion capital of Ashoka Pillar with the legend "सत्यमेनजयते" inscribe below, flanked on the left upper periphery with the word "INDIA" ltshall also bear the denominational value "1" in the internation numerals flanked on the left lower periphery with the word "RUPEE". There shall be 94 beads on the periphery of the coin.

REVERSE: This face of the Coin shall bear the effigy of Shri Rajiv Gandhi with the name "RAJIV GANDHI" in English at the right side and "ব্যুখীৰ বাহা" in Hindi at the left side. The figures "1944—1991" shall be shown below the effigy. — new shart be 94 beads on the periphery of the coin.

[F. No. 1/23/91-Coin, II-(2) G.S. GREWAL, Under Secy